ROBBINS Delicate Expressions Porcelain Stone



ROBBINS[®] **Delicate Expressions**[®] Porcelain Stone[®]

Discover the Timeless Beauty of Delicate Expressions[°] by Robbins[°]

Transform your living spaces with the elegant, organic beauty of Delicate Expressions[¬] porcelain tile by Robbins[¬]. Inspired by the timeless allure of oak and enhanced with a subtle wood grain texture, this collection's warm, earthy sophistication adds a calming sense of harmony and connection to any home.

Delicate Expressions generous 8"x48" planks offer enduring strength and durability to take you beyond interior spaces to the great outdoors. Use the exterior finish to create a serene backyard sanctuary, striking exterior entryway, or luxurious poolside retreat. Porcelain's ability to withstand Mother Nature's damaging effects multiplies the residential appeal of this perpetually beautiful, low maintenance aesthetic.

Available in five essential colors and working alongside, or in lieu of, natural wood, these eco-friendly porcelain tiles are meticulously crafted for perfect plank alignment. Expand your design options with cove base and bullnose trim along with 2x4 and 1x6 stacked mosaics that are perfect for shower pans and pool lines. Proudly made in the USA and Green Squared certified, Delicate Expressions is a smart, sustainable choice for any project.

- Ever stylish wood looks available in durable porcelain
- Field tile and mosaics offered
- Field tile Rectified
- Made in the USA





Floor: RR84405 > Tea Time 8 x 48 UPS and



Color Pallete

Available Colors



RR84401 ▶ Morning Light



RR84403 ▶ Welcoming Dawn



RR84405 ▶ Tea Time



RR84407 ▶ Evening Stroll



RR84409 ▶ Nightfall

Available Mosaics



2 x 4 Stacked Mosaics (available in all colors)



1 x 6 Stacked Mosaics (available in all colors)



Specifications

和本意是不可能能是了可能
8 x 48
8 X 48
1. 一般的 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
医含血管管理 的复数法国际
我的问题。他们将并且有关于我们的。" 我 说着了
国际。 影响到19月1日,19月11日,19月1日,19月1日,19月1日,19月1日,19月1日,19月1日,19月11日,19月11月11月11月11月11月11月11月11月11月1
法法律的财产 医尿道 网络白色白色
· · · · · · · · · · · · · · · · · · ·
1. · · · · · · · · · · · · · · · · · · ·
·····································
·····································
al mag a spin of the spin and
國家和政策 的复数形式 自己的现在
NO. OF THE PARTY OF THE PARTY
THE REPORT OF THE REPORT OF THE
THE REAL PROPERTY OF THE PARTY
CONTRACTOR OF THE PARTY OF THE PARTY.
可能是是 新行用于 医肠窝 第二
自然的 医甲基甲基甲基 有限的
7. 如果是他们的意思的情况的
的自己的法律的保留任何任何的
· · · · · · · · · · · · · · · · · · ·
·····································
國家語 建筑管长管理学校 计正安分
的 的复数 化合金化合金 人名法尔特
·····································
· · · · · · · · · · · · · · · · · · ·
建国际 经公司利用证 新工业
東京市 日本の目前 王本の
A CAMPANE AND A CAMPANE
States of the states of the states of the
著 一時時期有相等。時期國際的時期的
STORE STORES
10-10-10-10-10-10-10-10-10-10-10-10-10-1
A DESCRIPTION OF THE REAL PROPERTY OF THE REAL PROP
AND THE REAL PROPERTY OF THE PARTY OF THE PA
ST AND REPORT OF STREET, SALES
No. of the second s
A STAR & REATONNESS PORTS
STATES STATES
的。这些的"你是你没有了。" 第二章
· · · · · · · · · · · · · · · · · · ·
(1)
一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一

Sizes



2 x 4 Stacked Mosaic Mounted on a 297 x 297 sheet



1 x 6 Stacked Mosaic Mounted on a 297 x 290 sheet

Get Planked!

Our Porcelain Stone^{*} products are available in popular plank shapes with no minimum order and quick fulfillment.

See website for more details and sizes.



Sizes & Finishes	

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
8 x 48	197 x 1197	10.5	3	UPS/E2
Note: Field tile is rectified with	a 3mm grout joint			
Mosaics			Available in all colors	
Nominal (in)	Sheet Size (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 4 Stacked*	297 x 297	10.5	2.5	UPS
1 x 6 Stacked†	297 x 290	10.5	3	UPS
 Mounted on 12 x 12 sheet (cove Mounted on 12 x 11 sheet (cove 				
Coordinating Trim	1		Available in all colors †	
Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	97 x 597	10.5	3	UPS
6 x 12 Cove Base	150 x 297	10.5	3	UPS
	Bullnose			
Product Performance	Bullnose	<u>\</u>		
Water Absorption	Bullnose	<0.50%	ASTM C373	
Water Absorption Breaking Strength	Bullnose	>450 lbf	ASTM C648	
Water Absorption Breaking Strength Bond Strength	Bullnose	>450 lbf >200 psi	ASTM C648 ASTM C482	
Water Absorption Breaking Strength Bond Strength Facial Dimension	Bullnose	>450 lbf >200 psi ±0.10%	ASTM C648 ASTM C482 ASTM C1026	5
Water Absorption Breaking Strength Bond Strength Facial Dimension Range of Thickness (In)	Bullnose	>450 lbf >200 psi ±0.10% 0.035 in	ASTM C648 ASTM C482 ASTM C1026 ASTM C499	5
Water Absorption Breaking Strength Bond Strength Facial Dimension Range of Thickness (In) Warpage - diagonal	Bullnose	>450 lbf >200 psi ±0.10% 0.035 in ±0.20%	ASTM C648 ASTM C482 ASTM C1026 ASTM C499 ASTM C485	5
Water Absorption Breaking Strength Bond Strength Facial Dimension Range of Thickness (In)	Bullnose	>450 lbf >200 psi ±0.10% 0.035 in	ASTM C648 ASTM C482 ASTM C1026 ASTM C499	
Water Absorption Breaking Strength Bond Strength Facial Dimension Range of Thickness (In) Warpage - diagonal Wedging	Bullnose	>450 lbf >200 psi ±0.10% 0.035 in ±0.20% ±0.30%	ASTM C648 ASTM C482 ASTM C1026 ASTM C499 ASTM C485 ASTM C502	
Water Absorption Breaking Strength Bond Strength Facial Dimension Range of Thickness (In) Warpage - diagonal Wedging Frost Resistance	Bullnose	>450 lbf >200 psi ±0.10% 0.035 in ±0.20% ±0.30% Resistant	ASTM C648 ASTM C482 ASTM C1026 ASTM C499 ASTM C499 ASTM C485 ASTM C502 ASTM C1026	
Water Absorption Breaking Strength Bond Strength Facial Dimension Range of Thickness (In) Warpage - diagonal Wedging Frost Resistance Chemical Resistance Scratch Hardness		>450 lbf >200 psi ±0.10% 0.035 in ±0.20% ±0.30% Resistant Unaffected	ASTM C648 ASTM C482 ASTM C1026 ASTM C499 ASTM C499 ASTM C485 ASTM C502 ASTM C1026 ASTM C650	
Water Absorption Breaking Strength Bond Strength Facial Dimension Range of Thickness (In) Warpage - diagonal Wedging Frost Resistance Chemical Resistance		>450 lbf >200 psi ±0.10% 0.035 in ±0.20% ±0.30% Resistant Unaffected	ASTM C648 ASTM C482 ASTM C1026 ASTM C499 ASTM C499 ASTM C485 ASTM C502 ASTM C1026 ASTM C650 Mohs Scale	
Water Absorption Breaking Strength Bond Strength Facial Dimension Range of Thickness (In) Warpage - diagonal Wedging Frost Resistance Chemical Resistance Scratch Hardness Wet Dynamic Coefficient		>450 lbf >200 psi ±0.10% 0.035 in ±0.20% ±0.30% Resistant Unaffected 7	ASTM C648 ASTM C482 ASTM C1026 ASTM C499 ASTM C499 ASTM C502 ASTM C1026 ASTM C650 Mohs Scale	5
Water Absorption Breaking Strength Bond Strength Facial Dimension Range of Thickness (In) Warpage - diagonal Wedging Frost Resistance Chemical Resistance Scratch Hardness Wet Dynamic Coefficient UPS EXT		>450 lbf >200 psi ±0.10% 0.035 in ±0.20% ±0.30% Resistant Unaffected 7 0.50 - 0	ASTM C648 ASTM C482 ASTM C1026 ASTM C499 ASTM C499 ASTM C502 ASTM C1026 ASTM C650 Mohs Scale	5 I A326.3
Water Absorption Breaking Strength Bond Strength Facial Dimension Range of Thickness (In) Warpage - diagonal Wedging Frost Resistance Chemical Resistance Scratch Hardness Wet Dynamic Coefficient UPS	t of Friction Range	>450 lbf >200 psi ±0.10% 0.035 in ±0.20% ±0.30% Resistant Unaffected 7 0.50 - 0 0.60 - 0	ASTM C648 ASTM C482 ASTM C1026 ASTM C499 ASTM C499 ASTM C502 ASTM C1026 ASTM C650 Mohs Scale	5 I A326.3

V3 Moderate Variation

V4 Substantial Variation

This porcelain tile product is produced with a V3 variation. Expect that the amount of color and texture on each piece may vary significantly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Recommended Use

Delicate Expressions⁻ UPS is recommended for interior floors dry, interior walls, countertops, exterior walls, pool waterlines and full linings[†] in both residential and commercial applications. Delicate Expressions UPS is not recommended for exterior horizontal surfaces or exterior paving. Delicate Expressions EXT is recommended for interior or exterior floors and walls in both residential and commercial applications.

† Excludes mesh mounted mosaics.

Care and Maintenance

Regular cleaning is the best way to keep Delicate Expressions tile looking good for years to come. Use clean, hot water(combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Robbins products is available at Robbins. com.



Wet area use for Mosaics

Robbins' produces the Delicate Expressions 2x4 stacked mosaic and 1x6 stacked Mosaics with the Cross-Sheen (UPS) finish. The ANSI A326.3 wet Dynamic COF of Delicate Expressions is ≥0.50. Their small sizes ensure frequent grout joints which provides traction and drainage. Robbins cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Delicate Expressions to other tile products in wet area environment, such as residential/commercial bathrooms, showers, and interior pool decks. Information listed here is subject to change. Please refer to Robbins.com for the latest, most accurate information.

Our Warranty

Robbins guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1 and in the performance data section of the Robbins general product catalog. For complete details check our website at Robbins.com.

Information listed here is subject to change. Please refer to Robbins.com for the latest, most accurate information.

Robbins Sample Express

Complimentary Samples are available at Robbins.com

Loose Tile Samples

Sizes may vary depending on product series Max. of 4 large field tile per order

Standard Shipping

FedEx Ground

Floor: RR84403 > Welcoming Dawn 8 x 48 UPS

@2024 AHF, LLC. All trademarks are owned by AHF, LLC, or its subsidiaries or affiliates. | Printed in USA. | NOTE: Due to printing limitations, colors pictured cannot be guaranteed to match actual material.




Delicate Expression[™]

AHF Produc

3840 Hempland Rd Mountville, PA 17554
 Phone
 866 243-2726

 Web
 Robbins.com



ROBBINS

Above:RR84406 ▶ Evening Stroll 8 x 48 EXTCover:RR84407 ▶ Evening Stroll 8 x 48 UPS