

ROBBINS® Earth's Tapestry™ Porcelain Stone®



ROBBINS®

ROBBINS® Earth's Tapestry™ Porcelain Stone®

The allure of travertine from the indoors to outdoors

It's no lie that crosscut travertine is a timeless, earthly manifestation of style. Maintenance requirements and irregularities in the surface make commitment to travertine—shall we say—hard. Earth's Tapestry porcelain tile collection is the elegantly effortless alternative. This inspired line grounds down in the look of perpetually appealing travertine while providing confidence in the performance of porcelain for a lifetime of grace, ease, and style.

Earth's Tapestry's soft, swirling surface graphics and mild, infinitely matchable neutral color palette emulate what Mother Nature created in travertine's distinct mineral deposits. Each tile convincingly reinterprets stone's naturally dramatic pits in subtle, easy-to-clean depth. The resulting coziness centers your spaces in the illusion of a time-honored material.

Earth's Tapestry takes its allure from indoors to outside with both an unpolished finish and an exterior option suitable for walkways and pool surrounds. 12x24, 24x24, and a 2x2 mosaic, all made in the USA, offer a simple yet impactful collection designed to honor your creative vision.



FPO



Floor: STF04 ▶ Travertine Coffee 12 x 24 UPS



Floor: ST24424 ▶ Travertine Hazy Day 12 x 24 UPS

Color Palette

Available Colors



ST24418 ▶ Travertine Ivory Coast



ST24421 ▶ Travertine Sandcastle



ST24424 ▶ Travertine Hazy Day




Detail of the
ST24424 Travertine Hazy Day Finish



Specifications

Sizes



2 x 2 Mosaic
(Mounted on a
12 x 12 sheet)

Sizes & Finishes

Field Tile - Calibrated

Available in all colors

Nominal (in)	Actual (in)	Thickness (mm)	Grout Joint (in)	Finish
12 x 24	11-13/16 x 23-13/16	9.5	3/16	UPS
24 x 24	23-13/16 x 23-13/16	9.5	3/16	UPS/EXT

Note: Field tile is calibrated (non-rectified) with a minimum 3/16" grout joint

Mosaics

Available in all colors

Nominal (in)	Actual Size (in)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2 Mosaic*	11-15/16 x 11-15/16	9.5	3	UPS

* Mounted on 12 x 12 sheet with 3mm grout joints

Coordinating Trim

Available in all colors

Nominal (in)	Actual (in)	Thickness (mm)	Grout Joint (in)	Finish
6 x 12 Cove Base	5-7/8 x 11-3/4	9.5	3/16	UPS
4 x 24 Single Bullnose	3-13/16 x 23-13/16	9.5	3/16	UPS



6 x 12
Cove Base



4 x 24 Bullnose

Product Performance

Breaking Strength	>450 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.50%	ASTM C373
Scratch Hardness	7	Mohs Scale

Wet Dynamic Coefficient of Friction Range

UPS	0.42 - 0.52	ANSI A326.3
EXT	0.60 - 0.70	ANSI A326.3

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment.

See website for more details and sizes.



Shade & Texture Index

Earth's Tapestry has a shade variation of V3.

V1	V2	V3	V4	V1 Uniform appearance
V2 Slight Variation	V3 Moderate Variation	V4 Substantial Variation		

This porcelain tile product is produced with a V3 variation. While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or textures to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

Recommended Use

Earth's Tapestry UPS is recommended for interior floors, walls, counter tops and exterior walls in both residential and commercial applications. Earth's Tapestry EXT is recommended for exterior floors and walls in both residential and commercial applications. **If offset pattern is required for tiles 15 inches or longer, Robbins recommends an offset of not greater than 33%.** See Robbins.com for detailed installation instructions.

Wet area use for Stone Fiction Mosaics

Robbins produces the Earth's Tapestry 2 x 2 mosaics with the unpolished finish. The ANSI A326.3 wet Dynamic COF of Earth's Tapestry is ≥ 0.42 . Their small sizes ensure frequent grout joints which provides traction and drainage. Robbins cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Earth's Tapestry to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Care and Maintenance

Regular cleaning is the best way to keep Earth's Tapestry tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Robbins products is available at Robbins.com.

Our Warranty

Robbins guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1 and in the performance data section of the Robbins, Inc. general product catalog. For complete details check our website at Robbins.com.

Robbins Sample Express

Visit the website to learn more:

Robbins.com

Loose Samples for
Architects & Designers

Loose Tile Samples

Sizes may vary depending on product series

Max. of 4 large field tile per order

Standard Shipping

FedEx Ground



Floor: ST24424 ▶ Travertine Hazy Day 24 x 24 EXT

Trade Organizations



Environmentally Aware



Earth's Tapestry

AHF Products

3840 Hempland Rd.
Mountville, PA
17554

Phone 866 243-2726
Web Robbins.com



Above:
Floor: **ST24418** ▶ Travertine Ivory Coast 12 x 24 UPS
On the cover:
Floor : **ST24425** ▶ Travertine Hazy Day 24 x 24 EXT
Wall : **ST24425** ▶ Travertine Hazy Day 2 x 2 Mosaic and 24 x 24 EXT

ROBBINS®