

ROBBINS®

Rite of Passage™ Porcelain Stone®


Available Colors



SA24458 ▶ Oceanico Bianco



SA24462 ▶ Mattina D'Oro




SA24466 ▶ Valle Invernale


Features and Benefits

- Rite of Passage creatively reproduces the elegance of natural stone in sizes up to 48x48
- All colors available in polished and unpolished finishes
- Makes an exquisite surface for floors and walls in residential and commercial applications alike
- Coordinating trim and mosaics for fully-finished style
- Rectified field tile with recommended 3mm grout joint
- Globally sourced

Available Mosaics




SAL02.10202MOS ▶
Oceanico Bianco 2 x 2 Mosaic



SAL03.10202MOS ▶
Mattina D'Oro 2 x 2 Mosaic




SAL04.10202MOS ▶
Valle Invernale 2 x 2 Mosaic



SAL02.1LEAFMOS ▶
Oceanico Bianco Leaf Mosaic





SAL03.1LEAFMOS ▶
Mattina D'Oro Leaf Mosaic



SAL04.1LEAFMOS ▶
Valle Invernale Leaf Mosaic

ROBBINS® Rite of Passage™ Porcelain Stone®

Sizes (Available in all colors)



Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment.

See website for more details and sizes.



Sizes & Finishes

Field Tile - Rectified

Available in all colors

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 12	97 x 300	8.5	3	PO
12 x 24	300 x 613	8.5	3	UP/PO
24 x 48	598.5 x 1198.5	10.0	3	UP/PO
48 x 48	1195 x 1195	10.0	3	UP/PO

*UP finish only available in 48x48 for SA24458 and SA24462.

Note: Field tiles are not modular. Bullnose and 4x12 are cut from 12x24 and are only modular with the 12x24 format.

Mosaics

Available in all colors

Nominal (in)	Sheet Size (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2 Mosaic*	298 x 298	8.5	3	UP
Leaf Mosaic†	380 x 310	8.5	2	UP

* Mounted on 298mm x 298mm sheet with 3mm grout joints (Coverage area 0.9752 sf)

† Mounted on 380mm x 310mm sheet with 2mm grout joints (Coverage area 0.8718 sf)

Coordinating Trim

Available in all colors

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	97 x 613	8.5	3	UP/PO



Product Performance

Water Absorption	<0.50%	ISO 10545-3
Breaking Strength	≥ 35 N/mm ²	ISO 10545-4
Facial Dimension	± 0.8 mm	ISO 13006
Warpage - Diagonal	± 1.8 mm	ISO 13006
Wedging	± 0.8 mm	ISO 13006
Frost Resistance	Resistant	ISO 10545-12

Wet Dynamic Coefficient of Friction Range

UP	0.42 - 0.52	ANSI A326.3
PO	<0.42	ANSI A326.3

Shade & Texture Index

SA24458 and SA24462 has a shade variation of V2 and SA24466 has a shade variation is V3.

V1	V2	V3	V4	V1 Uniform appearance
				V2 Slight Variation
				V3 Moderate Variation
				V4 Substantial Variation

This porcelain tile product is produced with a V2 variation. Expect that the amount of color and texture on each piece may vary slightly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Application Areas

Finish	Interior Floors (dry)	Interior Walls (wet/dry)	Exterior Walls	Interior Floors (Standing water/shower floors)	Exterior/Paving	Pool/Fountain Full Lining**	Water Line Pool/Fountains
PO†	✓	✓	✓				✓
UP	✓	✓	✓	Mosaics Only*		✓	✓

NOTE: Trim applications will differ from field tile applications for the same series.

* 4" or less in both length and width, UPS or UP mosaics

** Excludes mesh mounted mosaics. Robbins recommends face mounted or edge mounted mosaics for fully submerged applications. Contact your Robbins sales representative for more information.

† Polished finish is only recommended for residential and light commercial use due to low Mohs hardness scratch resistance and increased susceptibility to scratching compared to matte surface.

For more information on ANSI- A362.3 visit our website at <https://www.robbins.com>

ROBBINS®

Rite of Passage™ Porcelain Stone®

Recommended Use

Rite of Passage UP is recommended for interior floors, interior walls, countertops, exterior walls, pool waterlines and full linings[†] in both residential and commercial applications. Rite of Passage UP is not recommended for exterior horizontal surfaces or exterior paving. Rite of Passage PO is recommended for interior floors (dry) and walls (wet and dry) in both residential and light commercial applications. See Robbins.com for detailed installation instructions. See General Installation Guidelines at Robbins.com for additional installation recommendations for the 48x48.

[†] Excludes mesh mounted mosaics.

Wet area use for Mosaics

Robbins® produces the Stones at Large mosaics with the unpolished finish. The ANSI A326.3 wet Dynamic COF of Stones at Large is ≥ 0.42 . Their small sizes ensure frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Rites of Passage to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Care and Maintenance

Regular cleaning is the best way to keep Rite of Passage tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Robbins products is available at Robbins.com.

Our Warranty

Robbins guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2022 and in the performance data section of the Robbins general product catalog. For complete details check our website at Robbins.com.

Robbins Sample Express

Visit the website to learn more:

Robbins.com

Loose Tile Samples

Sizes may vary depending on product series

Max. of 4 large field tile per order

Standard Shipping

FedEX Ground

National Accounts

For over 20 years we have been offering Porcelain tile to commercial customers at National Accounts pricing programs with special discounts. The National Accounts department provides materials forecasting, sales support and samples.

Robbins.com

You'll find comprehensive information about Robbins entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Robbins product brochures. So whether you need information about Robbins products or tile in general, please visit us at Robbins.com.

Trade Organizations



Environmentally Aware

