

ROBBINS® Urban Indulgence™ Porcelain Stone®

Available Colors



SC12400 ▶ Zecevo




SC12403 ▶ Taj Mahal




SC12406 ▶ Cristallo



SC12409 ▶ Augustus Grey



SC12412 ▶ Bronze Amani (FST Only)



SC12414 ▶ Diamond Black (FST Only)

Available Mosaics



2 x 4 Stacked Mosaics
(available in all colors)



1 x 6 Stacked Mosaics
(available in all colors)

Features and Benefits

- Elevate your home and create an inviting destination for family and friends with Urban Indulgence™ porcelain tiles.
- Featuring Robbin's newest FeatherSoft™ finish for extraordinarily touchable interior surfaces and an exterior finish for inside-out flexibility.
- Urban Indulgence™ is both visually appealing and practical. Available in two field tile sizes, including an expansive 24" x 48", along with cove base and bullnose trim and two mosaic options.
- Urban Indulgence™ porcelain tiles are the perfect complement to any home design.
- Expand your design options with cove base and bullnose trim along with 2x4 and 1x6 stacked mosaic that are perfect for shower pans and pool lines
- Made in the USA and Green Squaresm Certified

ROBBINS® Urban Indulgence™ Porcelain Stone®

Sizes


24 x 48



12 x 24



2 x 4 Stacked Mosaic
Mounted on a
297 x 297 sheet



1 x 6 Stacked Mosaic
Mounted on a
297 x 290 sheet

Sizes & Finishes

Field Tile - Rectified

Available in all colors

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
24 x 48	597 x 1197	10.5	3	FST
12 x 24	297 x 597	9.5	3	FST/EXT†

Note: Field tile is rectified with a 3mm grout joint † No EXT for SCL05 and SCL06

Mosaics

Available in all colors

Nominal (in)	Sheet Size (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 4 Stacked*	297 x 297	9.5	2.5	FST
1 x 6 Stacked†	297 x 290	9.5	3	FST

* Mounted on 12 x 12 sheet (coverage area 0.97sf) † Mounted on 12 x 11 sheet (coverage area 0.95sf)


Coordinating Trim

Available in all colors †

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	97 x 597	9.5	3	FST
6 x 12 Cove Base	150 x 297	9.5	3	UPS



4 x 24 Single
Bullnose



6 x 12 Cove Base

Product Performance

Water Absorption	<0.50%	ASTM C373
Breaking Strength	>450 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Facial Dimension	±0.10%	ASTM C1026
Range of Thickness (In)	0.02 in	ASTM C499
Warpage - diagonal	±0.20%	ASTM C485
Wedging	±0.20%	ASTM C502
Frost Resistance	Resistant	ASTM C1026
Chemical Resistance	Unaffected	ASTM C650
Scratch Hardness	7	Mohs Scale

Wet Dynamic Coefficient of Friction Range

FST	0.50 - 0.60	ANSI A326.3
EXT	0.60 - 0.70	ANSI A326.3

Shade & Texture Index

Urban Indulgence has a shade variation of V3.

V1	V2	V3	V4	V1 Uniform appearance
				V2 Slight Variation
				V3 Moderate Variation
				V4 Substantial Variation

This porcelain tile product is produced with a V3 variation. Expect that the amount of color and texture on each piece may vary significantly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment.

See website for more details and sizes.



ROBBINS®

ROBBINS® Urban Indulgence™ Porcelain Stone®

Application Areas

Finish	Interior Floors (dry)	Interior Walls (wet/dry)	Exterior Walls	Interior Floors (Standing water/shower floors)	Exterior/Paving	Pool/Fountain Full Lining**	Water Line Pool/Fountains
FST	✓	✓	✓			✓	✓
EXT	✓	✓	✓	✓	✓	✓	✓

** Excludes mesh mounted mosaics. Crossville recommends face mounted or edge mounted mosaics for fully submerged applications. Contact your Crossville sales representative for more information.

NOTE: Trim applications will differ from field tile applications for the same series.

For more information on ANSI- A362.3 visit our website at <https://www.crossvilleinc.com/Resources/Tile-101/DCOF?tab=1>

Recommended Use

Urban Indulgence® FST is recommended for interior floors dry, interior walls, countertops, exterior walls, pool waterlines and full linings† in both residential and commercial applications. Urban Indulgence FST is not recommended for exterior horizontal surfaces or exterior paving. Urban Indulgence EXT is recommended for interior or exterior floors and walls in both residential and commercial applications. See Robbins.com for detailed installation instructions.

† Excludes mesh mounted mosaics.

Care and Maintenance

Regular cleaning is the best way to keep Urban Indulgence tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Robbins products is available at Robbins.com.

Wet area use for Mosaics

Robbins® produces the Urban Indulgence 2x4 stacked mosaic and 1x6 stacked Mosaics with the Feathersoft (FST) finish. The ANSI A326.3 wet Dynamic COF of Urban Indulgence is ≥ 0.50 . Their small sizes ensure frequent grout joints which provides traction and drainage. Robbins cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning. This information is provided so that customers may make a realistic and informed decision when comparing Urban Indulgence to other tile products in wet area environment, such as residential/commercial bathrooms, showers, and interior pool decks. Information listed here is subject to change. Please refer to Robbins.com for the latest, most accurate information.

Our Warranty

Robbins® guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1 and in the performance data section of the Robbins® general product catalog. For complete details check our website at Robbins.com.

Information listed here is subject to change. Please refer to Robbins.com for the latest, most accurate information.

Crossville® Sample Express

Complimentary Samples are available at **Robbins.com**

Loose Tile Samples

Sizes may vary depending on product series
Max. of 4 large field tile per order

Standard Shipping

FedEx Ground

Trade Organizations



Environmentally Aware

